

---

# PLA 3.0.4 AND BIOLOGICAL ASSAYS PACKAGE 25

Release Notes PLA 3.0.4 SR4 (build 752)  
Release Notes Biological Assay Package 25 SR4 (build 999)

August 03, 2018

## COPYRIGHT

©2018 by Stegmann Systems GmbH, Rodgau, Germany.  
All rights reserved.

## CONTACT

Stegmann Systems GmbH  
Raiffeisenstr. 2 // C1, C2  
63110 Rodgau  
Germany

Phone: +49 6106 77010-0  
Fax: +49 6106 77010-190

[www.bioassay.de](http://www.bioassay.de)  
[support@bioassay.de](mailto:support@bioassay.de)

## TABLE OF CONTENTS

Copyright.....	2
Contact.....	2
Table of Contents.....	3
Welcome .....	7
Release Dates.....	8
PLA 3.0.4 Release Notes.....	9
PLA Framework .....	9
New .....	9
Changed .....	9
Fixed .....	10
PLA Data Acquisition Modules .....	10
PLA 3.0.3 Release Notes.....	11
PLA Framework .....	11
New .....	11
Changed .....	11
Fixed .....	11
Known Issues.....	12
PLA Data Acquisition Modules .....	12
PLA 3.0.2 Release Notes.....	13
PLA Framework .....	13
New .....	13
Changed .....	13
Fixed .....	13
Known Issues.....	13
Document Package: Measurement Documentation.....	14
Document Type: Substance .....	14
Changed .....	14
PLA Data Acquisition Modules .....	14
PLA 3.0.0 / PLA 3.0.1 Release Notes .....	15
Biological assay Package 25 Release Notes.....	16
Document Package: Biological Assays.....	16
Preface .....	16
New .....	16
Basic Bioassay Protocol .....	16
Control Charts .....	16
Equivalence Margin Development .....	16

**PLA 3.0.4 and Biological Assays Package 25 - Release Notes PLA 3.0.4 SR4 (build 752)**  
**Release Notes Biological Assay Package 25 SR4 (build 999)**

Quantitative Response Assay .....	17
Reports .....	18
Test System Definition Document (Quantitative Response Assay) .....	18
Changed .....	18
Combination of Assay Results .....	18
Quantitative Response Assay .....	18
Fixed .....	18
Basic Bioassay Protocol .....	18
Combination of Assay Results .....	19
Control Charts .....	19
Dichotomous Assay .....	19
Quantitative Response Assay .....	19
Reports .....	20
Biological assay Package 24 Release Notes .....	21
Document Package: Biological Assays .....	21
Preface .....	21
New .....	21
Quantitative Response Assay .....	21
Changed .....	21
Quantitative Response Assay .....	21
Data Aggregation .....	21
Fixed .....	23
Quantitative Response Assay .....	23
Dichotomous Assay .....	23
Control Chart .....	23
Biological assay Package 23 Release Notes .....	24
Document Package: Biological Assays .....	24
New .....	24
Combination of Assay Results .....	24
Control Charts .....	24
Dichotomous Assays .....	24
Quantitative Response Assays .....	24
Equivalence Margin Development .....	25
Changed .....	25
Combination of Assay Results .....	25
Dichotomous Assays .....	26
Equivalence Margin Development .....	26

Quantitative Response Assays .....	26
Fixed .....	26
Dichotomous Assays .....	26
Quantitative Response Assays .....	26
Biological assay Package 22 Release Notes.....	27
Document Package: Biological Assays.....	27
New .....	27
Quantitative Response Assays .....	27
Changed .....	27
Quantitative Response Assays .....	27
Fixed .....	27
Quantitative Response Assays .....	27
Biological assay Package 21 Release Notes.....	28
Document Package: Biological Assays.....	28
Changed .....	28
Combination of Assay Results .....	28
Quantitative Response Assays .....	28
Fixed .....	28
Combination of Assay Results .....	28
Quantitative Response Assays .....	28
Reports.....	28
Biological assay Package 20 Release Notes.....	29
Document Package: Biological Assays.....	29
New .....	29
Combination of Assay Results .....	29
Control Charts .....	29
Dichotomous Assays .....	29
Quantitative Response Assays .....	29
Changed .....	29
Basic Bioassay Protocol .....	29
Dichotomous Assays .....	29
Quantitative Response Assays .....	29
Fixed .....	29
Basic Bioassay Protocol .....	30
Fixed .....	30
Combination of Assay Results .....	30
Control Charts .....	30

**PLA 3.0.4 and Biological Assays Package 25** - Release Notes PLA 3.0.4 SR4 (build 752)  
 Release Notes Biological Assay Package 25 SR4 (build 999)

Dichotomous Assays .....	30
Quantitative Response Assays .....	30
Biological assay Package 19 Release Notes.....	31
Document Package: Biological Assays.....	31
New .....	31
Quantitative Response Assays .....	31
Changed .....	31
Combination of Assay Results .....	31
Fixed .....	31
Basic Bioassay Protocol .....	31
Control Charts .....	31
Quantitative Response Assays .....	31
Biological assay Package 18 Release Notes.....	32
Document Package: Biological Assays.....	32
New .....	32
Quantitative Response Assay .....	32
Combination of Assay Results .....	32
Equivalence Margin Development .....	32
Basic Bioassay Protocol .....	32
Changed .....	32
Combination of Assay Results .....	32
Fixed .....	33
Quantitative Response Assay .....	33
Combination of Assay Results .....	33
Biological assay Package 17 Release Notes.....	34
Document Package: Biological Assays.....	34
Document Type: Combination of Assay Results.....	34
New .....	34
Fixed .....	34
Document Type: Quantitative Response Assay .....	34
New .....	34
Changed .....	35
Fixed .....	35

## WELCOME

Welcome to the Release Notes of PLA 3.0.4 (build 721) and Biological Assay Package 25 (build 999). This document contains the cumulated Release Notes showing all new features, changes and fixes for all versions of PLA 3.0 since its initial release.

This document is primarily intended for Functional and System Administrators.

### NOTES:

#### **0. Before upgrading backup your databases!**

**1. Updated document packages need to be activated in every database.** If you do not actively update the document package in the package manager, PLA will still use the older mathematical routines.

**2. Biological Assay Package 23 is included in the distribution of PLA 3.0.4. Biological Assay Package 25 is a separate download package.**

**3. PLA 3.0.4 requires a database schema upgrade to be performed.** Open the Database Manager and press Repair for the database you want to open. PLA 3.0.3 or earlier will no longer be able to use this database after the schema upgrade. Run the Database Maintenance after the upgrade. It is necessary to assign the Database Maintenance privilege to the System Administrator Group to perform the maintenance.

**4. PLA 3.0.4 requires new versions of the data acquisition modules.** The updated data acquisition modules are available from Stegmann Systems upon request. Uninstall the existing data acquisition modules and install the new ones.

**5. Document Structure upgrade is required.** After you upgraded your Biological Assay Package, you need to upgrade those documents you want to recalculate with the updated mathematical routines. We recommend to upgrade the documents directly without creating new copies. For security reason the latter is the default in the upgrade process. If you make copies of your existing documents, please remember to upgrade the references if these documents are part of an aggregation.

**6. A Database Maintenance run is highly recommended, when you start using Biological Assay Package 24 or higher.** The database maintenance run is required for supporting the updated Control Chart capabilities of Biological Assay Package 24 or higher. Please select Database Maintenance and then "Start a new maintenance with reinitialization of the list of document properties.". If you do not perform this maintenance run, Control Charts may contain only partial data.

**7. Control Charts may require redefinitions if you are using Biological Assay Package 24 or higher.** Please verify the correct behavior of your Control Charts.

**8. Not all versions and revisions of the product have been released to the public.** This document contains release notes for all public versions.

The release notes are structured into Release Notes for

- PLA Framework
- Biological Assay Package

## RELEASE DATES

	Version	Released	
PLA Framework	3.0.0	22.05.2014	
	3.0.2	12.11.2014	
	3.0.3	27.02.2015	
	3.0.4	20.05.2016	
	3.0.4 SR1 (build 716)	01.09.2016	
	3.0.4 SR2 (build 718)	21.12.2016	
	3.0.4 SR3 (build 721)	07.04.2017	
	3.0.4 SR4 (build 752)	14.05.2018	
Biological Assay Package	14	included in PLA 3.0.0	22.05.2014
	17	included in PLA 3.0.2	12.11.2014
	18	included in PLA 3.0.3	27.02.2015
	19	download package	18.03.2015
	20	download package	13.07.2015
	21	download package	10.11.2015
	22	download package	23.12.2015
	23	included in PLA 3.0.4	20.05.2016
	24	download package	05.05.2017
	25	download package	15.01.2018
	25 SR1 (build 983), download package	09.02.2018	
	25 SR2 (build 984), download package	22.02.2018	
	25 SR3 (build 991), download package	13.04.2018	
25 SR4 (build 999), download package	03.08.2018		

Versions not listed here are internal versions and have never been released to the public.  
 The release notes document changes between the listed versions.



## PLA 3.0.4 RELEASE NOTES

### PLA FRAMEWORK

Version: 3.0.4 SR4 (build 752) (Previous Version: PLA 3.0.3 (build 691)). PLA 3.0.4 includes Biological Assay Package Rev. 23.

Note: SR3 (build 752) is a new build of PLA 3.0.4. It is an updated build which fixes technical problems introduced with PLA 3.0.4. It does not modify capabilities of the system.

#### NEW

- PLA now supports authentication via LDAP (e.g. Windows Active Directory)
- New Login dialog to support native as well as directory based authentication.
- New Version of automation capabilities for running complex operations in the platform.
- Possibility to redirect the local configuration of PLA (pla.properties) to a central location
- Data format for the function "Open Externally" can be configured
- New database policy to control whether it is allowed to overwrite imported values by another import process
- "Change Document and Folder Key" is now a separate permission.
- New database policy controlling whether it is allowed to change document or folder keys.
- New database policy controlling whether a new document is saved before it is opened for editing. This enables better tracking of changes between a document and the template it is created from.
- Introduced a system account with name "\_SYSTEM\_". This account is used for signatures, automatically applied by the system. If there in an account with this name already existing in the database, it is disabled by the upgrade process.
- A feature for Database Maintenance and a corresponding permission "Database Maintenance". The permission needs to be assigned to a role after the upgrade process. In new databases, it is assigned to the 'System Administrator Global Role'.

#### CHANGED

- Database schema has been updated from 3.01 to 3.04. Databases need to be upgraded to this scheme by pressing "Repair" in the database management dialog. Note: after the upgrade PLA 3.0.3 or earlier is no longer capable to connect to the database.
- An audit trail entry with action SCHEMA\_UPDATE is written during the 'repair'.
- Timestamps in audit trail entries in MS SQL databases are now written in UTC instead of the local time of the PLA client. Timestamps of the entries prior to the update to PLA 3.0.4 are not changed. UTC timestamps are used beginning with the SCHEMA\_UPDATE audit trail entry for schema version 3.04.
- It is no longer possible to create an account with the name "\_<Any Text>\_". Those names are reserved for system use.
- The Package Management dialog shows only the installed version of a package or newer versions. The actions are renamed from 'install' to 'activate' and 'uninstall' to 'deactivate'.
- References in documents will work correctly after an export/import cycle of documents in document packages if all referenced documents are part of the imported document package.
- Document packages can only be imported completely.
- Import- and Data Acquisition Modules installed for an earlier version of PLA must be uninstalled prior the update. An updated version of the module must be installed after the update to PLA 3.0.4.
- Data Acquisition Modules now support a "Top and Clear" strategy, which removes all prior data values and starts the acquisition at the top row.
- Assignment of Security Contexts has been changed. Security Contexts are now assigned to all subfolders until another assignment is found.
- Improved initialization time during login. (about 50% speed improvement)

**PLA 3.0.4 and Biological Assays Package 25** - Release Notes PLA 3.0.4 SR4 (build 752)  
Release Notes Biological Assay Package 25 SR4 (build 999)

- SR2 (build 718): References to databases are realized via Database UUID (as seen in System - Database Policies – Advanced) instead of the Connection Profile UUID.
- SR3 (build 721): Database Maintenance has now an option to reinitialize the list of document properties to support Biological Assay Package 24.
- SR3 (build 721): CSV options are now available to the report engine.
- SR3 (build 721): Document properties without label are no longer reported with “Missing label”.
- SR4 (build 752): Updated Runtime Installer for License Management to solve a performance issue with the installation under current versions of Microsoft Windows 10.

**FIXED**

- Observations cannot be moved up and down not when they are protected by a template.
- Font Sizing / Screen Resolution issues with Windows 10.
- Calculated values are now extracted into the digest during import.
- Configuration Report execution exceptions have been fixed.
- SR1 (build 716): Escaping of LDAP queries corrected (Username with comma)
- SR1 (build 716): System Lock with LDAP fixed.
- SR2 (build 718): Database Maintenance processes all documents and gives proper feedback for skipped documents.
- SR2 (build 718): The SSL Certificate used to connect to an LDAP server can be removed.
- SR3 (build 721): Performance update for automated processing of large data tables
- SR3 (build 721): Memory usage of the reporting engine has been optimized.
- SR4 (build 752): Modified usage of Windows handles to improve resource usage.
- SR4 (build 752): Memory usage improvement by dynamic handling of HTML views
- SR4 (build 752): Improved Feedback during Data Acquisition
- SR4 (build 752): Fixed a problem preventing automatic update of data tables.

## PLA DATA ACQUISITION MODULES

Due to changes in the adapter of the framework and in the Biological Assay Package there are new versions of the import modules and data acquisition modules required.

## PLA 3.0.3 RELEASE NOTES

### PLA FRAMEWORK

Version: 3.0.3 (build 691) (Previous Version: PLA 3.0.2 (build 677)). PLA 3.0.3 includes Biological Assay Package Rev. 18.

#### NEW

- PLA notifies about outdated packages in a database. The notification can be disabled in the Database Policies
- A Configuration Report (aka Configuration Item List, CIL) summarizing the configuration of the database is now available. The Configuration Report is available from the System menu for users with 'Edit Database Policies' permission.
- New policy for the denial of document removal for signed documents. The removal of signed documents can now be restricted as a global policy.
- Permissions assignments can now be assigned by document mode (e.g. templates) and signature state (Document Roles).
- Templates can now be created directly from the New Document dialog.

#### CHANGED

- New Biological Assay Package version 18.
- Reason and Signature for one annotation can now be applied to all following annotations.
- The OQ and PQ dialogs have been improved to offer the same functionality as the IQ dialog.
- OQ/PQ now state DEVIATIONS DETECTED instead of FAILURE.
- The key F5 will now refresh references when it is used in documents that are in aggregation mode.
- Improved Audit Trail filter options.
- Permissions related to the Folder Properties dialog have been changed.
  - The permission **Read documents** now allows to open the Folder Properties and view the contents of the General tab.
  - The permission **Edit documents** now allows to edit the contents of the General tab of the Folder Properties dialog, excluding the Security Context of the folder.
  - The permission **Edit security contexts** adds the permission to change the Security Context of the folder.
  - The permission **Read folder properties** allows to view the contents of the Document Key Format and Document Restrictions tabs of the Folder Properties dialog.
  - The permission **Edit folder properties** allows to edit the contents of the Document Key Format and Document Restrictions tabs of the Folder Properties dialog.
- The permission **Create child objects** has been renamed to **Create new documents**.
- PLA now installs and uses the HASP driver version 6.65.

#### FIXED

- Documents can now be created using document templates with an outdated document type version.
  - The document that will be created out of the template will be automatically upgraded to the newest document type version.
- Various text- and translation errors.
- Various performance and stability issues.
- PQ can now be executed using documents with an outdated document type version.
  - The documents will be automatically upgraded to the newest document type version, without changing the contents of the PQ package.
- OQ can no longer be executed using outdated OQ packages.
- The IQ can now be carried out without an existing database for better support of IT administrators.

**PLA 3.0.4 and Biological Assays Package 25** - Release Notes PLA 3.0.4 SR4 (build 752)  
Release Notes Biological Assay Package 25 SR4 (build 999)

- Users that have access to the Account Management can no longer open the Session Management if it is locked by another user.
- Password Expiry date is no longer miscalculated
- User preferences will now be saved correctly when PLA is exited using the login screen.
- User preferences will now be kept when PLA is updated to a newer version.
- Packages displayed in the Package Management are now sorted alphabetically.
- Users, Groups, Roles and Security Contexts displayed in the Account Management are now sorted alphabetically.
- The values of document reference elements within the Content View of the document editor can now be deleted.
- Document Keys can now be pasted into document reference elements within the Content View of the document editor.
- The status of a Database Connection Profile is now displayed correctly.

#### KNOWN ISSUES

- When opening the Folder Properties of the **Root** folder in a database that has been created by a previous version of PLA, the Folder Properties dialog will incorrectly display **New Folder** as the current name of the **Root** folder. Workaround: The Folder Properties dialog will display the correct name of the Root folder once the Folder Properties were changed and saved using PLA 3.0.3.
- Upgrading the Biological Assays Package from version 17 to 18 in an existing database requires exclusive access to the database. Exclusive access to the database is not obtained automatically. It must be obtained by manually executing the appropriate function.
- Importing more than 500 documents from one previously exported document package may require adjustment of memory settings.

#### PLA DATA ACQUISITION MODULES

Due to changes in the adapter of the framework and in the Biological Assay Package there are new versions of the import modules and data acquisition modules required.

## PLA 3.0.2 RELEASE NOTES

### PLA FRAMEWORK

Version: 3.0.2 (build 677) (Previous Version: PLA 3.0.0 (build 623). PLA 3.0.2 includes Biological Assay Package Rev. 17.

#### NEW

- Raw Data Traceability
- Source information for acquired raw data are recorded
- Protection of Technical Outlier states
- Protection of imported raw values
- Area related Electronic Signatures
  - Document Signature (whole document is signed and write protected)
  - Content Signature (the content editor values are signed. Data and Calculation Results are not protected)
  - Dataset Signature (the data values are signed)
- Find/Filter functionality for Generic Document Editor (CTRL + F)
- Automatic updating of aggregated data in the data table

#### CHANGED

- Improved license management
- Improved document differences in Audit Trail
- Improved multi-user handling (performance, stability)
- Improved performance while editing datasets
- Redesigned upgrading of document structures
- Added various system log-events to relieve customer support
- Updated to Biological Assay Package Version 17
- Updated to Measurement Documentation Package Version 4

#### FIXED

- Various text- and translation-errors have been corrected
- Various performance and stability issues
- Error that could result in failed Operational Qualification due to strict calculation timeout
- Error prohibiting the OQ Certificate from print
- Updated Sentinel LDK (license system) driver
- Error that could block the creating of new documents for users with highly restricted permissions when using the favorites feature

#### KNOWN ISSUES

- The date when a password expires is miscalculated in the current version. The password remains valid for one day longer than configured.
  - Workaround: Configure password expiry one day shorter than the expiry should be.

**PLA 3.0.4 and Biological Assays Package 25** - Release Notes PLA 3.0.4 SR4 (build 752)  
Release Notes Biological Assay Package 25 SR4 (build 999)

## DOCUMENT PACKAGE: MEASUREMENT DOCUMENTATION

Version: 4 (Previous Version: 3)

DOCUMENT TYPE: SUBSTANCE

CHANGED

- Added additional properties for the detailed documentation of a substance.

## PLA DATA ACQUISITION MODULES

Due to changes in the adapter of the framework and in the Biological Assay Package there are new versions of the import modules required.

## PLA 3.0.0 / PLA 3.0.1 RELEASE NOTES

PLA 3.0.0 (build 623) was the initial release of PLA 3.0. PLA 3.0.0 includes Biological Assay Package Rev. 14.

PLA 3.0.1 was never released to the public.

## BIOLOGICAL ASSAY PACKAGE 25 RELEASE NOTES

### DOCUMENT PACKAGE: BIOLOGICAL ASSAYS

Version: 25 (Build 991) (Previous Version: 24).

#### PREFACE

SR3 (build 991) is a new build of Biological Assay Package 25. It is an updated build which fixes a few technical problems identified after the release of Biological Assay Package 25. It does not modify capabilities of the system. If you already have previously installed a former Biological Assay Package 25 it is recommended to reinstall the Service Release Package (build 991) on all computers where you have installed previous builds and to reactivate the package within the package manager in all databases.

#### NEW

##### BASIC BIOASSAY PROTOCOL

- When generating Quantitative Response Assay documents, the generate task adds a link to the generating Basic Bioassay Protocol document into the generated Quantitative Response Assay document in the comment section.

##### CONTROL CHARTS

- Markers are available in the Control Chart graphics.
- Control Chart graphic now also contains a box-and-whisker plot of the Input data.
- The report now contains an input data table.
- Improved display handling of plots with very small or very large numbers of observations.
- New XML-Excel report format.
- Document title of the referenced documents has been added to the dataset.
- The control charts now support single line text columns.

##### EQUIVALENCE MARGIN DEVELOPMENT

The Equivalence Margin Development has been completely reworked.

- The Equivalence Margin Document supports Development and Verification Assays. Development Assays are used to develop the margins. Verification Assays can be used to verify test strategies.
- Test Strategies are selections of available predefined or calculated margins. Different strategies can be included.
- Strategy Visualization is available. The system simulates a certain number of acceptable assays for every defined strategy to support the visual verification of the strategies.
- New tests available:
  - Equivalence Test - Difference of Parameter Estimates: C Parameter (Nonlinear Models)
  - Equivalence Test - Difference of Parameter Estimates: Slope (Linear Models) for Slope Ratio Models
  - Equivalence Test - Difference of Parameter Estimates: Intercept (Linear Models) for the Parallel Linear Line Model
  - Equivalence Test - Ratio of Parameter Estimates: C Parameter (Nonlinear Models)
  - Equivalence Test - Ratio of Parameter Estimates: Slope (Linear Models) for Slope Ratio Models
  - Equivalence Test - Ratio of Parameter Estimates: Intercept (Linear Models) for the Parallel Linear Line Model
  - Equivalence Test - Scaled Parameter Range: C Parameter (Nonlinear Models)
  - Equivalence Test - Scaled Parameter Range: Slope (Linear Models) for Slope Ratio Models



- Equivalence Test - Scaled Parameter Range: Intercept (Linear Models) for the Parallel Linear Line Model
- Point Estimate Tests - Parameter Estimate
- Point Estimate Tests - Difference of Parameter Estimates
- Point Estimate Tests - Ratio of Parameter Estimates
- Test - Sum of Squares Regression
- Test - Sum of Squares Non-Linearity - Assay Element
- Test - Residual Error
- Test - Pure Error
- Development of asymmetric margins is supported and the default setting.
- The development report has been completely reworked to reveal much more insight into the development process and results.
- Detailed plots of the input assays have been added to the equivalence margin development report.
- A verification section has been added to the equivalence margin development report.
- A visualization section has been added to the equivalence margin development report.
- Full automated export of developed test systems as Test System Definition Documents is supported.
- Comparison of different test strategies is supported.
- SR3 (build 991) Multiple 'Term' elements are supported for the property filter of 'Column: Section'.

#### QUANTITATIVE RESPONSE ASSAY

- New suitability tests:
  - Equivalence Test - Difference of Parameter Estimates: C Parameter (Nonlinear Models)
  - Equivalence Test - Difference of Parameter Estimates: Slope (Linear Models) for Slope Ratio Models
  - Equivalence Test - Difference of Parameter Estimates: Intercept (Linear Models) for the Parallel Linear Line Model
  - Equivalence Test - Ratio of Parameter Estimates: C Parameter (Nonlinear Models)
  - Equivalence Test - Ratio of Parameter Estimates: Slope (Linear Models) for Slope Ratio Models
  - Equivalence Test - Ratio of Parameter Estimates: Intercept (Linear Models) for the Parallel Linear Line Model
  - Equivalence Test - Scaled Parameter Range: C Parameter (Nonlinear Models)
  - Equivalence Test - Scaled Parameter Range: Slope (Linear Models) for Slope Ratio Models
  - Equivalence Test - Scaled Parameter Range: Intercept (Linear Models) for the Parallel Linear Line Model
  - Point Estimate Tests - Parameter Estimate for all parameters including Slope (Nonlinear Models)
  - Point Estimate Tests - Difference of Parameter Estimates for all parameters
  - Point Estimate Tests - Ratio of Parameter Estimates for all parameters
  - Test - Sum of Squares Regression
  - Test - Sum of Squares Non-Linearity - Assay Element
  - Test - Residual Error
  - Test - Pure Error
  - Test - Relative LOF error (%)
- Test System Definition Document (Quantitative Response Assay) can be referenced in the Quantitative Response Assay. The test definitions of the Test System Definition Document (Quantitative Response Assay) will be evaluated, when evaluating this Quantitative Response Assay.
- New report: Detailed Report with compact test output.
- The calculation result now provides the 'Lambda'-value of linear models for reporting in custom reports.
- Upper and lower margins in suitability test are now optional. This enables the possibility of defining one sided tests.

- The order of the test definition in the document content controls the order of the test results in the report.
- The assay element specific versions of 'Test: Minimal R<sup>2</sup>' and 'Test: Sum of Squares Non-Linearity' can now be defined by using the 'Extent' element in the test definition.
- The structure and ordering of the test definitions in the document has been reworked.

## REPORTS

- Mark down syntax is supported in reporting of comment elements.

## TEST SYSTEM DEFINITION DOCUMENT (QUANTITATIVE RESPONSE ASSAY)

- New document type for holding test systems for Quantitative Response Assay document types. Quantitative Response may link this document type as an additional (and optional) way to deal with test systems.
- Report for the Test System Definition Document (Quantitative Response Assay).

## CHANGED

### COMBINATION OF ASSAY RESULTS

- The element 'date' has been added to the document structure.

### QUANTITATIVE RESPONSE ASSAY

- Default label for the response column in the dataset is now "Response".
- Improved evaluation strategy for range optimization with 'Maximum Range', such that the calculation has a much better performance, if a passed configuration exists.
- Improved error handling for the Grubbs outlier detection method.
- The document outline now also contains the defined suitability tests.
- The word 'Additional' in the labels of 'Additional Test: ...' has been removed
- Harmonization of parameter names:

<b>PARAMETER NAME BIOASSAY PACKAGE 25</b>	<b>PARAMETER NAMES IN EARLIER VERSIONS</b>
---	--

A Upper Asymptote (Nonlinear Models)	Upper Asymptote (A)
--------------------------------------	---------------------

B Parameter (Nonlinear Models)	Slope (B)
--------------------------------	-----------

C Parameter (Nonlinear Models)	Inflection Point (C)
--------------------------------	----------------------

D Lower Asymptote (Nonlinear Models)	Lower Asymptote (D)
--------------------------------------	---------------------

G Asymmetry Parameter (Nonlinear Models)	Asymmetry Parameter (G)
--	-------------------------

Intercept (Linear Models)	Intercept
---------------------------	-----------

Slope (Linear Models)	Slope
-----------------------	-------

- SR1 (build 983) The range optimizer performance has been improved for identical range with one test/control sample.
- SR1 (build 983) The range optimizer performance has been improved for identical treatment number with one test/control sample.
- SR3 (build 991) The labels for the 3 parameter models have been replaced by non-camel case labels.
- SR3 (build 991) An error message is given, if for strict test exception handling the full or the restricted regression model fit cannot be calculated. In this case the overall status of the corresponding assay is set to 'Failed (Warning)'.
- SR4 (build 999) Introduced relative comparisons with 12 significant digits for the evaluation of equivalence tests.

## FIXED

### BASIC BIOASSAY PROTOCOL

- SR1 (build 983) Resolved a problem, that Quantitative Response Assays have been generated with an invalid date/time element in the documentation section.

### COMBINATION OF ASSAY RESULTS

- The combination calculation for Dichotomous Assays supports potency units.
- SR1 (build 983) Resolved a problem where the status 'no tests applied' has been falsely reported.
- SR4 (build 999) Resolved a problem with the report generation if substance identification was set.
- SR4 (build 999) Label change for homogeneity tests which cannot be calculated.

### CONTROL CHARTS

- Resolved a problem, that charts without control limits could not be calculated.

### DICHOTOMOUS ASSAY

- Resolved an issue where the calculation terminated with an error, if absolute potency defined by stock solution, absolute potency defined by raw material in combination with dilution factors has been used.
- Reports: The page break behavior of the potency table has been corrected.

### EQUIVALENCE MARGIN DEVELOPMENT

- SR2 (build 984) Resolved an issue that the definition range of the plot has been chosen too narrowly, if the referenced assays used decimal logarithm or natural logarithm.
- SR2 (build 984) Resolved an issue, where values of a defined sequence in scientific notation were not shown in the report.
- SR3 (build 991) Resolved an issue, where the Generate routine for test system documents did not transfer the confidence level settings into the target documents.
- SR4 (build 999) Resolved an issue, that sometimes the confidence level has not been transferred correctly to generated test system documents.
- SR4 (build 999) The ordering of the tests in the verification table has been corrected.

### QUANTITATIVE RESPONSE ASSAY

- Resolved an issue, where an obsolete version of the psf-Import has been used, after activation of the Biological Assay Package 24 in an existing PLA database.
- Resolved an issue in the recursive behavior of the Dixon test leading to a removal of too many data points, when the values of the data points were equal.
- The confidence level of an equivalence test is now displayed as percentage value and the compact report also contains this value.
- The reporting of the margins for the Test: Relative Potency Range (%) has been corrected.
- Resolved a problem, where the calculation terminated with an unknown exception, if the value of a user variable contained some special combinations of backslashes (\) followed by another character.
- Resolved an issue, where the range optimizer calculation could not be executed, when too many technical outliers had been removed.
- Resolved an issue with line breaks in the test result output in the report.
- SR1 (build 983) Resolved a problem which interrupted the calculation unexpectedly when the range optimizer has been used with maximum range in combination with simultaneous regression in assays with multiple test/control samples.
- SR1 (build 983) Resolved a problem which interrupted the calculation unexpectedly when the range optimizer has been used with maximum range in combination identical range or identical treatment numbers in assays with at least one control sample.
- SR3 (build 991) Resolved a problem, where some of the suitability tests could not be evaluated as one sided tests.
- SR3 (build 991) Resolved a problem, where the studentized residual test did not detect correct values if used in combination with range partial.
- SR3 (build 991) Resolved an issue, where the compact report of suitability test results did not contain the severity level for tests with severity 'Reject'.

**PLA 3.0.4 and Biological Assays Package 25** - Release Notes PLA 3.0.4 SR4 (build 752)  
Release Notes Biological Assay Package 25 SR4 (build 999)

- SR4 (build 999) The elements 'Severity' and 'Scope' for suitability tests are mandatory.

**REPORTS**

- Resolved a rounding issue on the report level, where numbers with a certain structure are rounded down instead of up.

**TEST SYSTEM DEFINITION DOCUMENT (QUANTITATIVE RESPONSE ASSAY)**

- SR4 (build 999) The elements 'Severity' and 'Scope' for suitability tests are mandatory.

## BIOLOGICAL ASSAY PACKAGE 24 RELEASE NOTES

### DOCUMENT PACKAGE: BIOLOGICAL ASSAYS

Version: 24 (Build 904) (Previous Version: 23).

#### PREFACE

With Biological Assay Package 24 Control Charts have been reworked. The list of available properties for charting has received updates.

- Additional Properties are available for Charting
- The labels have been changed to clarify the purpose of the property

**If you activate Biological Assay Package 24 within a database a Database Maintenance run needs to be performed with the Option “Start a new maintenance with reinitialization of the list of document properties.”. This will update the internal registry of PLA’s document properties. If you do not perform this step the registry may be incomplete. Biological Assay Package 24 will extract the properties also for older documents.**

**Control Chart within your database need to be updated after this. You need to verify that the property keys for the charted values are still functional of whether you need to reselect them (see table below).**

#### NEW

##### QUANTITATIVE RESPONSE ASSAY

- EC50 value is provided for control charts.
- Entries of the ANOVA table are now provided for control charting.
- Optional Response Value Upper and Lower Limits. Values above or below these limits are masked as technical outliers during the calculation.
- The impact of Not Calculated Tests on the assay result can be specified now.
- PSF import now supports PLA 2.0 Builds 546 and 547.

#### CHANGED

##### QUANTITATIVE RESPONSE ASSAY

- Report: Label 'Equidistant Sequence' is changed to 'Linear Sequence'
- For comparability of the results PSF import defines a Response Value Lower Limit of 0 for PLA 2.0 imports with non-linear regression models (4- and 5-parameter fit). PLA 2.1 imports have not been changed.

##### DATA AGGREGATION

- Labels for aggregation of data values (document properties) have been completely revised.
- The following property keys have been changed for consistency. If your Control Charts make use of one of these, it requires an update.

Old Property key	New Property Key
<a href="http://stegmannsystems.com/bioassay/date">http://stegmannsystems.com/bioassay/date</a>	<a href="http://www.stegmannsystems.com/bioassay/date">http://www.stegmannsystems.com/bioassay/date</a>
<a href="http://stegmannsystems.com/bioassay/status">http://stegmannsystems.com/bioassay/status</a>	<a href="http://www.stegmannsystems.com/bioassay/status">http://www.stegmannsystems.com/bioassay/status</a>
<a href="http://stegmannsystems.com/bioassay/ControlLine-Minimum">http://stegmannsystems.com/bioassay/ControlLine-Minimum</a>	<a href="http://stegmannsystems.com/edp/document/property/qra/controlline_min">http://stegmannsystems.com/edp/document/property/qra/controlline_min</a>
<a href="http://stegmannsystems.com/bioassay/ControlLineMaximum">http://stegmannsystems.com/bioassay/ControlLineMaximum</a>	<a href="http://stegmannsystems.com/edp/document/property/qra/controlline_max">http://stegmannsystems.com/edp/document/property/qra/controlline_max</a>
<a href="http://stegmannsystems.com/bioassay/ControlLine-Mean">http://stegmannsystems.com/bioassay/ControlLine-Mean</a>	<a href="http://stegmannsystems.com/edp/document/property/qra/controlline_mean">http://stegmannsystems.com/edp/document/property/qra/controlline_mean</a>

<a href="http://stegmannsystems.com/bioassay/ControlLine-StandardError">http://stegmannsystems.com/bioassay/ControlLine-StandardError</a>	http://stegmannsystems.com/edp/document/property/qra/controlline_stderr
http://stegmannsystems.com/bioassay/ControlLineCoefficientOfVariation	http://stegmannsystems.com/edp/document/property/qra/controlline_cov
http://stegmannsystems.com/bioassay/RestrictedRegressionParameterAMinusD	http://stegmannsystems.com/edp/document/property/qra/fold_difference_restricted
http://stegmannsystems.com/bioassay/RestrictedRegressionParameterADividedByD	http://stegmannsystems.com/edp/document/property/qra/fold_ratio_restricted
http://stegmannsystems.com/bioassay/RestrictedRegressionParameterA	http://stegmannsystems.com/edp/document/property/qra/a_restricted
http://stegmannsystems.com/bioassay/RestrictedRegressionParameterB	http://stegmannsystems.com/edp/document/property/qra/b_restricted
http://stegmannsystems.com/bioassay/RestrictedRegressionParameterCTestControl	http://stegmannsystems.com/edp/document/property/qra/c_restricted
http://stegmannsystems.com/bioassay/RestrictedRegressionParameterCAntilogTestControl	http://stegmannsystems.com/edp/document/property/qra/c_antilog_restricted
http://stegmannsystems.com/bioassay/RestrictedRegressionParameterCStandard	http://stegmannsystems.com/edp/document/property/qra/c_restricted_std
http://stegmannsystems.com/bioassay/RestrictedRegressionParameterCAntilogStandard	http://stegmannsystems.com/edp/document/property/qra/c_antilog_restricted_std
http://stegmannsystems.com/bioassay/RestrictedRegressionParameterD	http://stegmannsystems.com/edp/document/property/qra/d_restricted
http://stegmannsystems.com/bioassay/RestrictedRegressionParameterG	http://stegmannsystems.com/edp/document/property/qra/g_restricted
http://stegmannsystems.com/bioassay/RestrictedRegressionParameterR	http://stegmannsystems.com/edp/document/property/qra/r_restricted
http://stegmannsystems.com/bioassay/RestrictedRegressionIntercept	http://stegmannsystems.com/edp/document/property/qra/intercept_restricted
http://stegmannsystems.com/bioassay/RestrictedRegressionSlope	http://stegmannsystems.com/edp/document/property/qra/slope_restricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionParameterAMinusD	http://stegmannsystems.com/edp/document/property/qra/fold_difference_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionParameterADividedByD	http://stegmannsystems.com/edp/document/property/qra/fold_ratio_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionParameterA	http://stegmannsystems.com/edp/document/property/qra/a_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionParameterB	http://stegmannsystems.com/edp/document/property/qra/b_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionParameterC	http://stegmannsystems.com/edp/document/property/qra/c_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionParameterCAntilog	http://stegmannsystems.com/edp/document/property/qra/c_antilog_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionParameterD	http://stegmannsystems.com/edp/document/property/qra/d_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionParameterG	http://stegmannsystems.com/edp/document/property/qra/g_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionIntercept	http://stegmannsystems.com/edp/document/property/qra/intercept_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionSlope	http://stegmannsystems.com/edp/document/property/qra/slope_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionAbsoluteEc50TestControl	http://stegmannsystems.com/edp/document/property/qra/absolute_ec50_tst_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionAbsoluteEc50Standard	http://stegmannsystems.com/edp/document/property/qra/absolute_ec50_std_unrestricted
http://stegmannsystems.com/bioassay/UnrestrictedRegressionEc50	http://stegmannsystems.com/edp/document/property/qra/ec50_unrestricted

<a href="http://stegmannsystems.com/bioassay/ControlLine-Minimum">http://stegmannsystems.com/bioassay/ControlLine-Minimum</a>	<a href="http://stegmannsystems.com/edp/document/property/qra/controlline_min">http://stegmannsystems.com/edp/document/property/qra/controlline_min</a>
<a href="http://stegmannsystems.com/bioassay/ControlLineMaximum">http://stegmannsystems.com/bioassay/ControlLineMaximum</a>	<a href="http://stegmannsystems.com/edp/document/property/qra/controlline_max">http://stegmannsystems.com/edp/document/property/qra/controlline_max</a>
<a href="http://stegmannsystems.com/bioassay/ControlLine-Mean">http://stegmannsystems.com/bioassay/ControlLine-Mean</a>	<a href="http://stegmannsystems.com/edp/document/property/qra/controlline_mean">http://stegmannsystems.com/edp/document/property/qra/controlline_mean</a>
<a href="http://stegmannsystems.com/bioassay/ControlLine-StandardError">http://stegmannsystems.com/bioassay/ControlLine-StandardError</a>	<a href="http://stegmannsystems.com/edp/document/property/qra/controlline_stderr">http://stegmannsystems.com/edp/document/property/qra/controlline_stderr</a>
<a href="http://stegmannsystems.com/bioassay/ControlLineCoefficientOfVariation">http://stegmannsystems.com/bioassay/ControlLineCoefficientOfVariation</a>	<a href="http://stegmannsystems.com/edp/document/property/qra/controlline_cov">http://stegmannsystems.com/edp/document/property/qra/controlline_cov</a>
<a href="http://stegmannsystems.com/bioassay/Restricted-RegressionParameterAMinusD">http://stegmannsystems.com/bioassay/Restricted-RegressionParameterAMinusD</a>	<a href="http://stegmannsystems.com/edp/document/property/qra/fold_difference_restricted">http://stegmannsystems.com/edp/document/property/qra/fold_difference_restricted</a>

## FIXED

### QUANTITATIVE RESPONSE ASSAY

- PSF-Import: The suitability test Ratio of Dynamic Ranges will be imported now.
- PSF-Import: Equivalence Test EC50 will be neglected.
- PSF-Import: Import of Additional Test: Maximal Number of Outliers has been fixed.
- PSF-Import: The ANOVA model in case of split assay is now determined by the current preparation.
- PSF-Import: Allocation of the dose values to the assay elements has been corrected.
- Report: Fixed a number formatting issue for the Additional Test: Relative Potency %.
- Advanced Report: Resolved an issue, that no EC50 has been reported sometimes.
- Resolved a problem, that outlier detection has been deactivated for control lines with dose value '0'.
- Resolved a problem, that the range optimizer did not ensure the minimal number of steps, if whole steps has been removed by being marked as technical outliers.

### DICHOTOMOUS ASSAY

- Report: The report generation problem for standard samples without data has been corrected.

### CONTROL CHART

- Fixed a problem that resources for the control chart could not be resolved.
- A problem with the aggregation of the C parameter (restricted regression) has been corrected.
- Resolved an issue, that control charts are missing information.

## BIOLOGICAL ASSAY PACKAGE 23 RELEASE NOTES

### DOCUMENT PACKAGE: BIOLOGICAL ASSAYS

Version: 23 (Build 875) (Previous Version: 22).

NEW

#### COMBINATION OF ASSAY RESULTS

- All non-integer valued assay and sample suitability tests support now the optional element rounding with possible values 'No Rounding', '0 decimal places', '1 decimal places', ..., '10 decimal places'. If this is defined the value(s) compared to margins or critical values are rounded to the specified number of decimal places.
- 'Test on Mean of CV (%)' is supported now.

#### CONTROL CHARTS

- Revision of the Graphics
  - Separated axis
  - Optional horizontal lines with additional small lines in 10%-steps of the interval
  - Optional vertical lines
  - Optional legend (the amount of assay elements determines the size of the legend and the scale on the y-axis (simply speaking: range + 5%-steps of the range up to 2\*range). Furthermore, it determines the amount of columns (either one or two)).
  - Label of the x-axis (default: Index)
  - Label of the y-axis
  - Label of the response unit
  - Choice of data point plotting as circles or lines (In case of n>500: lines)

#### DICHOTOMOUS ASSAYS

- Revision of the Graphics
  - Separated axis
  - Optional horizontal lines
  - Optional vertical lines
  - Optional legend (the amount of assay elements determines the size of the legend and the scale on the y-axis. Furthermore, it determines the amount of columns (either one or two)).
  - Small tick marks if Display Lines is TRUE
  - Choice for names of the tick marks on the x-axis: absolute dose, transformed relative dose, untransformed relative dose
  - Label of the x-axis (default: Dose)
  - Label of the y-axis
  - Label of the response unit
- All non-integer valued assay and sample suitability tests support now the optional element rounding with possible values 'No Rounding', '0 decimal places', '1 decimal places', ..., '10 decimal places'. If this is defined the value(s) compared to margins or critical values are rounded to the specified number of decimal places.
- It is now possible to choose between 'Confidence Level (%)' and 'p'. If 'p' is selected, the test evaluation is based on the comparison of the p value to the specified margin. Otherwise the test evaluation is based on the comparison of the critical value of the considered distribution.

#### QUANTITATIVE RESPONSE ASSAYS

- Revision of the Graphics



- Optional display part for Control Line
- Separated axis
- Optional horizontal lines
- Optional vertical lines
- Optional legend (the amount of assay elements determines the size of the legend and the scale on the y-axis (simply speaking: range + 5%-steps of the range up to 2\*range). Furthermore, it determines the amount of columns (either one or two)).
- Small tick marks if Display Lines is TRUE
- Choice for names of the tick marks on the x-axis: absolute dose, transformed relative dose, untransformed relative dose
- Choice for names of the tick marks on the y-axis: transformed relative dose, untransformed relative dose
- Dotted lines between data points which are not in range
- Label of the x-axis (default: Dose)
- Label of the y-axis (default: Response)
- Label of the response unit
- The optional element 'Test Name' is now available for all assay and sample suitability tests. Test names have to be unique and are used for defining conditional tests.
- The optional element 'Conditional Evaluation' is supported for all assay and sample suitability tests. It has the sub elements 'Test Reference' and 'Evaluation Condition'. The 'Test Reference' contains the test name of the test, which is used as condition for the evaluation (test condition) of the actually considered test (the conditional test). If the evaluation condition is set to 'Referenced Test Passes', the conditional test is only evaluated, if the test condition is passed. If the evaluation condition is set to 'Referenced Test Failed', the conditional test is only evaluated, if the test condition is failed. Conditional testing is only possible if there is a unique mapping of test conditions to conditional tests. Otherwise the calculation is aborted with an error.
- All non-integer valued assay and sample suitability tests now support the optional element rounding with possible values 'No Rounding', '0 decimal places', '1 decimal places', ..., '10 decimal places'. If this is defined the value(s) compared to margins or critical values are rounded to the specified number of decimal places.
- It is now possible to choose between 'Confidence Level (%)' and 'p'. If 'p' is selected, the test evaluation is based on the comparison of the p value to the specified margin. Otherwise the test evaluation is based on the comparison of the F ratio to the critical value of the Fisher F-distribution.
- 'Additional Test: Sum of Squares Non-Parallelism' is supported now.
- The 'Additional Test: Value of Parameter Estimates' now supports 'Ratio of Slopes', 'Ratio of Upper Asymptotes', 'Ratio of Lower Asymptotes', 'Dynamic Range / Asymptote Range' and 'Signal to Noise / Asymptote Ratio' as parameters.
- The 'Additional Test: Maximal Sequence Step CV (%)' supports now an optional lower margin.
- The EC 50 is now reported in the advanced detailed report.

#### EQUIVALENCE MARGIN DEVELOPMENT

- Margins for 'Equivalence Test (Difference of Parameter Estimates)' and 'Equivalence Test (Ratio of Parameter Estimates)' for parameter 'Dynamic Range' are now supported now.
- Upper margin for 'Additional Test: Sum of Squares Non-Parallelism' is supported now.

#### CHANGED

#### COMBINATION OF ASSAY RESULTS

- The comparison for deriving the passed/failed status of a suitability test now always includes 'equal' in the 'is passed' case.

#### DICHOTOMOUS ASSAYS

- The comparison for deriving the passed/failed status of a suitability test now always includes 'equal' in the 'is passed' case.

#### EQUIVALENCE MARGIN DEVELOPMENT

- Samples with status 'Failed' or 'Rejected' are not anymore included in the margin estimation for the 'Additional Test: Sum of Squared Non-Linearity'.
- Report and dashboard has been revised.

#### QUANTITATIVE RESPONSE ASSAYS

- The comparison for deriving the passed/failed status of a suitability test now always includes 'equal' in the 'is passed' case.
- The confidence level used for the evaluation of equivalence test is now reported in the result section of the test.
- The dashboard now shows the assay results in the order of the assay element definition.

#### FIXED

#### DICHOTOMOUS ASSAYS

- The use of '<' and '&' are used in assay element names does no longer lead to an abort of the calculation routine.

#### QUANTITATIVE RESPONSE ASSAYS

- The use of '<' and '&' are used in assay element names does no longer lead to an abort of the calculation routine.
- Infinite confidence limits are now reported in the results of equivalence tests.
- Midpoint of range calculation has been corrected. (Note: So far no report exists, that contains this value.)
- The calculation of the EC 50 in case of the 5-parameter logistic model has been corrected. (Note: So far no reports of the standard packages reported this value.)

## BIOLOGICAL ASSAY PACKAGE 22 RELEASE NOTES

### DOCUMENT PACKAGE: BIOLOGICAL ASSAYS

Version: 22 (Build 843) (Previous Version: 21).

#### NEW

##### QUANTITATIVE RESPONSE ASSAYS

- The assay element specific lines for 'Non-Linearity (Lack of Fit)' are printed in the ANOVA table of the detailed report and the advanced report. The corresponding rows are labeled by the assay element name.
- The default value for 'ANOVA with consideration of additional factors' is now 'false'.

#### CHANGED

##### QUANTITATIVE RESPONSE ASSAYS

- 'Additional Test: Sum of Squares Non-Linearity (Assay Element)' has been added to the test system.
- 'Additional Test: Minimal R<sup>2</sup> (Assay Element)' has been added to the test system
- 'Equivalence Test (Difference of Parameter Estimates)' for the 'Dynamic Range' has been added to the test system,
- 'Equivalence Test (Ratio of Parameter Estimates)' for the 'Dynamic Range' has been added to the test system.
- 'Data Selection Schemes' now has an optional child element 'Quality Weight' with possible choices 'Coefficient of Determination', 'F-Ratio Regression' and 'Slope'. The default value is 'Coefficient of Determination'. This controls the quality weight used for range optimization.
- 'Analyze as multiplex assay' has been renamed to 'Simultaneous Regression'.

#### FIXED

##### QUANTITATIVE RESPONSE ASSAYS

- The assay suitability and sample suitability tests section of a new quantitative response assay document do not contain any test definitions.
- The R<sup>2</sup> value is now printed in the report for nonlinear models too.

## BIOLOGICAL ASSAY PACKAGE 21 RELEASE NOTES

### DOCUMENT PACKAGE: BIOLOGICAL ASSAYS

Version: 21 (Build 829) (Previous Version: 20).

#### CHANGED

##### COMBINATION OF ASSAY RESULTS

- Weights for data rows not entering the calculation of the combined potency are now calculated and displayed in the report.

##### QUANTITATIVE RESPONSE ASSAYS

- The help texts for the test system have been revised.

#### FIXED

##### COMBINATION OF ASSAY RESULTS

- The combination calculation for slope ratio assays now correctly uses the arithmetic mean instead of the geometric mean in data aggregation mode.
- Units for the absolute potency are now transferred correctly to the combination document for quantitative response assays.

##### QUANTITATIVE RESPONSE ASSAYS

- The calculation no longer terminates with an unexpected error if some non-standard characters (like " or ') have been used in assay element names.
- In rare cases the non-linear fit method detected a solution with interchanged asymptotes and inverted sign of the hill-slope in case of the 4-parameter fit. It should be noted, that this is also a valid result of the fit and this does not affect the relative potency. However, this result has some side effects regarding suitability tests. The system now correctly detects this interchanged results and restarts optimization with an optimized set of start estimates.
- The calculation no longer terminates with an unexpected error, if 'Additional Test: Relative Potency Range (%)' is defined with scope 'Standard Only'.
- The 'Additional Test: Maximal Sequence Step CV (%)' now takes outliers into account.
- The calculation no longer terminates with an unexpected error, if a sample with only one treatment has to be handled by the range optimizer. If such a configuration is selected as final configuration appropriate warning and info messages occur.
- If 'Dilution Factors' are defined in combination with 'Absolute Potency: Defined by Stock Solution' / 'Absolute Potency: Defined by Raw Material', the system now uses the 'Estimated Potency (Stock Solution)' / 'Estimated Potency Raw Material' as absolute potency for data aggregation (formerly 'Potency Ratio (incl. Dilution Factors)' has been used here).
- Data Source of acquired raw data is now printed in all reports.
- The dashboard now shows the correct absolute potency unit.
- File import of '.psf'-files now chooses the correct settings for PLA 2.0 assays, where 'Separate ANOVAs for each hypothesis (PLA 1.2 compatible)' is selected.

#### REPORTS

- Incorrect formatting in the reports of some numbers between 1E6 and 1E7 with a mantissa of exactly 8 decimal digits has been corrected.
- The template information in reports is now only printed once.

## BIOLOGICAL ASSAY PACKAGE 20 RELEASE NOTES

### DOCUMENT PACKAGE: BIOLOGICAL ASSAYS

Version: 20 (Build 816) (Previous Version: 19).

#### NEW

##### COMBINATION OF ASSAY RESULTS

- Combination Calculation now supports dichotomous assays.
- Combination Calculation now supports control samples.
- Additional output for custom reports has been provided in the calculation result.

##### CONTROL CHARTS

- The performance of the control chart update for large datasets has been significantly improved.

##### DICHOTOMOUS ASSAYS

- p-Values for significance tests are now part of the output.
- Test on the signature state of document parts is now added for dichotomous assays.
- The Additional Test on User Variables is now added for dichotomous assays.

##### QUANTITATIVE RESPONSE ASSAYS

- R-Squared value is provided now for nonlinear regression models.
- 'Additional Test: Minimal R-Squared' is supported for nonlinear models.
- Inclusion of the transformed 50 percent response for range optimization is supported now.
- In case of 50 percent inclusion when using the range optimizer, it is now possible to select the estimation method of the 50 percent response. Available options are arithmetic mean or the mean of minimal and maximal treatment mean.
- F-Test Quadratics with scope 'Assay' supports now slope ratio assays.
- The coefficient of determination estimation method can now be selected. Possible methods are 'default method' (implementing the used method of previous versions of the bioassay package), 'mean adjusted model' and 'intercept free model'.
- Additional output for custom reports has been provided in the calculation result. This includes output for reporting the ANOVA tables for the tests of Slope and Test of Linearity of PLA 1.2 and the signal to noise ratio calculated based on the observation data.

#### CHANGED

##### BASIC BIOASSAY PROTOCOL

- 'Template Selection Strategy' now replaces the option 'Force Common Replicate Number' with the possible choices 'Existing Replicates' and 'Existing Elements'.

##### DICHOTOMOUS ASSAYS

- Linear predictor graphic has been revised.

##### QUANTITATIVE RESPONSE ASSAYS

- In case of the three parameter model, the value of the fixed asymptote is now printed in the report.
- Revision of number formatting in the reports.

#### FIXED

#### BASIC BIOASSAY PROTOCOL

- Removed the not needed elements 'Absolute Potency' and 'Dilution Factors' for control line elements.
- Resolved some minor user interface and reporting issues.

#### FIXED

#### COMBINATION OF ASSAY RESULTS

- Resolved an Issue, that some info, warning and error messages are reported twice.
- Resolved some minor user interface and reporting issues.

#### CONTROL CHARTS

- Resolved an Issue, that some info, warning and error messages are reported twice.
- Resolved some minor user interface and reporting issues.

#### DICHOTOMOUS ASSAYS

- Resolved an Issue, that some info, warning and error messages are reported twice.
- Messages for invalid assay definitions have been improved.
- Resolved an issue that led to the output of '/' for the absolute potency unit, in case of undefined units.
- Resolved some minor user interface and reporting issues.

#### QUANTITATIVE RESPONSE ASSAYS

- In case of performing a Dixon outlier detection with 8 or more replicates, the outlier detection terminated with a warning and the outlier test result was ignored. This has been corrected.
- In case of 'optimization on' and 'identical range = false', the range optimizer did detect non-optimal solutions if there are more than one possible range selection candidates for a test sample.
- Resolved an issue, leading to a wrong severity level definition for the test on user variables.
- Resolved an issue, leading to a false degree of freedom in case of replaced outliers. This could only occur, if outlier replacement was activated.
- Resolved an issue, leading to a false degree of freedom for the denominator of F-Tests in case of confidence interval calculation method based on residual error of the restricted fit.
- Resolved an Issue, that some info, warning and error messages are reported twice.
- Resolved an issue that led to the output of '/' for the absolute potency unit, in case of undefined units.
- Messages for invalid assay definitions have been improved.
- Resolved some minor user interface and reporting issues.

## BIOLOGICAL ASSAY PACKAGE 19 RELEASE NOTES

### DOCUMENT PACKAGE: BIOLOGICAL ASSAYS

Version: 19 (Previous Version 18). Note: Package Measurement Documentation Version 4 is a prerequisite for this package.

#### NEW

##### QUANTITATIVE RESPONSE ASSAYS

- The 'Additional Test: Intermediate Dilution Potency' has been added to the test system.
- The 'Additional Test: Relative Potency Confidence Interval (%)' has been added to the test system.
- The 'Additional Test: Value of Parameter Estimate' has been added to the test system.
- The values 'Fold Difference' (upper minus lower asymptote) and 'Fold Ratio' for the restricted and the unrestricted regression model are provided for control charting.

#### CHANGED

##### COMBINATION OF ASSAY RESULTS

- The combination calculation now ignores results with test status 'Excluded'. That means they do not appear in the report and (as in the previous versions) they will not enter the calculation.

#### FIXED

##### BASIC BIOASSAY PROTOCOL

- Resolved an issue that led in case of the assay element mode to generated quantitative response assay documents with test / control samples whose replicate number is not large enough to be included in the generated assay.

##### CONTROL CHARTS

- Resolved an issue that prevented the generation of a control chart report.

##### QUANTITATIVE RESPONSE ASSAYS

- The output of the F-Test for the preparation term now contains the p-value.
- Resolved an issue that led to problems for generating the reports in case of multiplex assays.
- Resolved an issue that led to incorrect labels of the upper asymptote parameter for the unrestricted regression fit, when used in control charts.

## BIOLOGICAL ASSAY PACKAGE 18 RELEASE NOTES

### DOCUMENT PACKAGE: BIOLOGICAL ASSAYS

Version: 18 (Previous Version: 17). Note: Package Measurement Documentation Version 4 is a prerequisite for this package.

#### NEW

##### QUANTITATIVE RESPONSE ASSAY

- A compact report is supported now.
- Potency Confidence Interval Calculation Method can be selected now. Possible choices are
  - Based on ANOVA Error: Calculates the potency confidence interval based on the selected ANOVA model. This is the method used in previous versions of the Biological Assay Package.
  - Based on Error of the Restricted Model: Calculates the potency confidence interval based on the residual error term of the restricted regression model.
- The tests on potency value and potency confidence interval can now also be calculated for the stock solution and raw material potency.
- A test for the maximal dose step coefficient of variation is supported now. An upper margin for the coefficients of variation can be defined.
- Tests for the potency result (e.g. test on the potency value) can now be performed for multiplex assays.
- Substance information of assay elements are now included in the report.
- Various new properties available for control charting and aggregation. Note: Existing assays need to be recalculated.

##### COMBINATION OF ASSAY RESULTS

- A test for the percentual potency confidence interval is supported now.
- The  $\chi^2$ -Homogeneity test can be defined and performed as suitability test.
- The definition of multiple section filters is now supported.
- It is possible to define substance informations for the combination groups. Therefore a group element has been introduced in the document content. When it references the group ID column of the dataset, substance informations defined for this combination group are printed out in the report part for this group.

##### EQUIVALENCE MARGIN DEVELOPMENT

- The definition of multiple section filters is now supported.

##### BASIC BIOASSAY PROTOCOL

- The basic bioassay protocol has been completely revised. See manual.

#### CHANGED

##### COMBINATION OF ASSAY RESULTS

- The fields 'Test Failed Message' and 'Tests Passed Message' have been removed.



FIXED

QUANTITATIVE RESPONSE ASSAY

- Resolved an error that led to printout of false p-values for the preparation term in a model row in the ANOVA table. Note: This error had no effect for the evaluation of suitability tests or potency.
- ANOVA model selection has been ignored for models with included control line. The pure error ANOVA has always been used.
- Several message errors fixed for incompletely specified assays.

COMBINATION OF ASSAY RESULTS

- Several message errors fixed for incompletely specified assays.

## BIOLOGICAL ASSAY PACKAGE 17 RELEASE NOTES

### DOCUMENT PACKAGE: BIOLOGICAL ASSAYS

Version: 17 (Previous Version: 14). Note: Package Measurement Documentation Version 4 is a prerequisite for this package.

### DOCUMENT TYPE: COMBINATION OF ASSAY RESULTS

#### NEW

- All tests support a “scope”. The scope field selects, whether the test is performed for the combination of relative or absolute potencies.
- The tests on potency value, potency confidence interval and potency range (%) are now available for absolute potencies.
- A Test on Sum of Weights has been added. A lower margin for the sum of weights (usually calculated for the homogeneity test) can be defined.
- The Test on Coefficient of Variation (%) has been added to the test section. An upper margin for the empirical coefficient of variation of the potency values can be specified.
- The Test on Number of Valid Assays has been added to the test section. Upper and/or lower margins can be specified. This test is especially useful if used in combination with the basic bioassay protocol for routine assays.
- The Test on (Log) Potency Range has been added to the test section. An upper margin can be specified for the range of the log potency values entering the combination calculation.
- The Test on (Log) Potency Confidence Interval Range has been added to the test section. An upper margin can be specified for the log potency confidence interval length of the combined potency.
- The logarithm base can now be specified in the analysis section. The selected logarithm base does only influence the results of the Tests on (Log) Potency Range and (Log) Potency Confidence Interval Range.
- A Test on Signature States has been added to the list of tests.

#### FIXED

- Resolved several errors, leading to non-comprehensible error messages in case of incomplete data/assay situations.
- Resolved several errors, where no report could be generated in case of incomplete data/assay situations.

### DOCUMENT TYPE: QUANTITATIVE RESPONSE ASSAY

#### NEW

- Dixon-, Grubbs- and Standard Deviation Outlier Test can now be used for control lines.
- The advanced settings now contain an optional field 'Replace Outliers'. If this is set to true, detected outliers are replaced by the mean of the remaining response values of the corresponding sequence step.
- The Additional Test: Maximal Number of Outliers now contains a field extent defining the evaluation range of the test. In case of 'Assay' all outliers of the assay are counted. In case of 'Assay Element' only the outliers of this assay element are counted. In case of 'Sequence Step' the maximum number of outliers for the sequence steps of the considered assay element are counted.
- The F-Test on Preparation has been added to the test section. This test tests the significance of the preparation term in the ANOVA table. The test is only available for the Linear Parallel Line Model and the Nonlinear 4-Parameter Model.

- The F-Test Difference of Quadratics (Assay Scope) has been added to the test section. This is a difference of model test, where the sum of squares quadratics (assay scope) is compared to the usual sum of squares quadratics (for assay elements). This is a test for the support of legacy analytical methods.
- The F-Test Quadratics (Assay Scope) has been added to the test section. To perform this test, a quadratic model is fitted to the data of the whole assay simultaneously (in contrast to the usual F-Test Quadratics, where only the data of one assay element is used). This is a test for the support of legacy analytical methods.
- The Test on User Variable has been added to the test section. This test allows to test for variables and their values. It is useful in complex workflow setups.

#### CHANGED

- The additional fit of the 4-parameter-model with included control line is now performed including the control line values. The procedure used in previous versions ignored these values as in the Slope Ratio model. The new approach is more comprehensible. The result of this fit is used to perform the Non-Parallelism row of the ANOVA table (which directly influences the F-Test Non-Parallelism).

#### FIXED

- Resolved an error causing the range optimizer to select non-optimal configurations in some complex situations.
- Resolved several errors leading to non-comprehensible error messages in case of incomplete data / assay situations.
- Resolved several errors, where no report could be generated in case of incomplete data / assay situations.